

Shipping Policy

Shipping Information

Clear Image Devices utilizes a variety of shipping carriers to provide our customers with the shipping services they require. Some shipping requirements may result in additional charges. Please provide the customer service agent with your shipping specifications. A quote will be generated that includes your shipping cost. Package tracking information is provided when shipped.

Free Standard Shipping

Free standard shipping is included with the purchase of any of our products when the item is shipped within the contiguous United States.

Not Included in Standard Shipping (potential additional fees):

- Shipping dock or lift gate service required
- Inside delivery
- Express Shipping

Shipping Services Outside the Contiguous 48 United States

Flexible shipping options are available through a variety of carriers. Clear Image Devices will provide you with a shipping quote that best meets your need at the lowest rate. Some customers utilize their own shipping services to obtain special shipping rates. We are able to accommodate most shipping requests.

Contact sales@clearimagedevices.com for additional shipping information.

View Shipping Weights on next page.

Size and Weight Information- page 1

1-STEP PLATFORM

| Item # | Description |
|--|---|
| 24305-C50 | For DR Systems: Canon CXDI-50, 60 |
| 24305-C55 | For CR Systems and the following DR Systems: Canon CXDI-55, 70, 80, 401C, 501, 701C, 801C, Carestream DRX-1, Fuji FDR D-EVO, Konica Minolta Aero DR, AGFA |
| 24305-SY | For DR Systems: Siemens Ysio, GE Flash Pad, Philips Wireless |
| 24305-GE | For DR Systems: GE XR650, GE AMX 700 |
| Dimensions: Top Platform | |
| Height: 8 in / 20 cm, Width: 19.5 in / 50 cm | |
| Length: 17 in / 43 cm | |
| Handle Height: 45 in / 114 cm | |

1-STEP PLATFORM

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|-----------|-----------------|----------------|----------------|------------------|
| 24305-C50 | 25/64 | 31/79 | 46/117 | 69/31.3 |
| 24305-C55 | 25/64 | 31/79 | 46/117 | 69/31.3 |
| 24305-SY | 25/64 | 31/79 | 46/117 | 69/31.3 |
| 24305-GE | 25/64 | 31/79 | 46/117 | 69/31.3 |

2-STEP PLATFORM

| Item # | Description |
|---|---|
| 24302-C50 | For DR Systems: Canon CXDI-50, 60 |
| 24302-C55 | For CR Systems and the following DR Systems: Canon CXDI-55, 70, 80, 401C, 501, 701C, 801C, Carestream DRX-1, Fuji FDR D-EVO, Konica Minolta Aero DR, AGFA |
| 24302-SY | For DR Systems: Siemens Ysio, GE Flash Pad, Philips Wireless |
| 24302-GE | For DR Systems: GE XR650, GE AMX 700 |
| Dimensions: Top Platform | |
| Height: 16 in / 40 cm, Width: 19.5 in / 50 cm | |
| Length: 17 in / 43 cm | |
| Handle Height: 51 in / 130 cm | |
| 50122 | Side rail accessory |

2-STEP PLATFORM

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|-----------|-----------------|----------------|----------------|------------------|
| 24302-C50 | 25/64 | 31/79 | 54/137 | 78/35.4 |
| 24302-C55 | 25/64 | 31/79 | 54/137 | 78/35.4 |
| 24302-SY | 25/64 | 31/79 | 54/137 | 78/35.4 |
| 24302-GE | 25/64 | 31/79 | 54/137 | 78/35.4 |

Size and Weight Information- page 2

3-STEP PLATFORM

| Item # | Description |
|---|---|
| 24306-C50 | For DR Systems: Canon CXDI-50, 60 |
| 24306-C55 | For CR Systems and the following DR Systems: Canon CXDI-55, 70, 80, 401C, 501, 701C, 801C, Carestream DRX-1, Fuji FDR D-EVO, Konica Minolta Aero DR, AGFA |
| 24306-SY | For DR Systems: Siemens Ysio, GE Flash Pad, Philips Wireless |
| 24306-GE | For DR Systems: GE XR650, GE AMX 700 |
| Dimensions: Top Platform | |
| Height: 24 in / 41 cm Width: 19.5 in / 50 cm | |
| Length: 17 in / 43 cm | |
| Handle Height: 59 in / 150 cm | |
| Side rail included: For all systems | |

3-STEP PLATFORM

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|-----------|-----------------|----------------|----------------|------------------|
| 24306-C50 | 25/64 | 31/79 | 54/137 | 135/61.3 |
| 24306-C55 | 25/64 | 31/79 | 54/137 | 135/61.3 |
| 24306-SY | 25/64 | 31/79 | 54/137 | 135/61.3 |
| 24306-GE | 25/64 | 31/79 | 54/137 | 135/61.3 |

EXTRA-WIDE 2-STEP PLATFORM

| Item # | Description |
|---|---|
| 24404-C50 | For DR Systems: Canon CXDI-50, 60 |
| 24404-C55 | For CR Systems and the following DR Systems: Canon CXDI-55, 70, 80, 401C, 501, 701C, 801C, Carestream DRX-1, Fuji FDR D-EVO, Konica Minolta Aero DR, AGFA |
| 24404-SY | For DR Systems: Siemens Ysio, GE Flash Pad, Philips Wireless |
| 24404-GE | For DR Systems: GE XR650, GE AMX 700 |
| Dimensions: Top Platform | |
| Height: 16 in / 40 cm, Width: 30 in / 76 cm | |
| Length: 17 in / 43 cm | |
| Handle Height: 51 in / 130 cm | |
| 50122 | Side rail accessory |

EXTRA-WIDE 2-STEP PLATFORM

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|-----------|-----------------|----------------|----------------|------------------|
| 24404-C50 | 34/86 | 31/79 | 55/140 | 104/47.2 |
| 24404-C55 | 34/86 | 31/79 | 55/140 | 104/47.2 |
| 24404-SY | 34/86 | 31/79 | 55/140 | 104/47.2 |
| 24404-GE | 34/86 | 31/79 | 55/140 | 104/47.2 |

STEP PLATFORM FOR U-ARM SYSTEMS

| Item # | Description |
|---|---|
| 24701 | 500 lb Capacity: Sedecal, Swissray, IMIX, IDC and other U-Arm Systems |
| Dimensions: Top Platform | |
| Height: 18 in / 45 cm, Width: 28 in / 71 cm | |
| Length: 32 in / 81 cm | |
| Handle Height: 53 in / 135 cm | |
| Docking Space: | |
| Height: 15.50 in / 39 cm | |
| Width: 28.25 in / 71.8 cm | |
| * Special order for use with CR cassettes or DR panels. Request a quote. | |

STEP PLATFORM FOR U-ARM SYSTEMS Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|--------|-----------------|----------------|----------------|------------------|
| 24701 | 60/152 | 55/140 | 41/104 | 200/90.8 |

ULTRASOUND EXAM STEP - COMPACT

| Item # | Description |
|---|---|
| 24602 | For standing leg venous insufficiency studies |
| Dimensions: | |
| 1 st Step Height: 8 in / 20 cm | |
| 2 nd Step Height: 14 in / 36 cm | |
| Platform Width: 24 in / 61 cm | |
| Platform Depth: 14 in / 36 cm | |
| Handle Height: 51 in / 130 cm and 43 in / 109 cm | |

ULTRASOUND EXAM STEP - COMPACT Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|--------|-----------------|----------------|----------------|------------------|
| 24602 | 22/56 | 30/77 | 55/140 | 60/27.2 |

ULTRASOUND EXAM STEP - STANDARD

| Item # | Description |
|---|---|
| 24601 | For standing leg venous insufficiency studies Side rail included |
| Dimensions: | |
| Height: 16 in / 40 cm | |
| Width: 19.5 in / 50 cm | |
| Length: 17 in / 43 cm | |
| Handle Height: 51 in / 130 cm and 43 in / 109 cm | |

ULTRASOUND EXAM STEP - STANDARD Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|--------|-----------------|----------------|----------------|------------------|
| 24601 | 25/64 | 31/79 | 54/137 | 75/34.1 |

Size and Weight Information- page 4

PEDIA-POSER

| Item # | Description |
|------------------|--|
| 24301 | For infants through 4-year-olds One replacement strap pack included CID Practice Positioning Bear included |
| Image Type | AP Lateral Oblique |
| C-Spine | X X X |
| Chest | X X |
| Abdominal | X |
| Magnified Airway | X X |
| 50123 | Additional replacement strap pack |

PEDIA-POSER

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|--------|-----------------|----------------|----------------|------------------|
| 24301 | | | | |
| Top | 15/38 | 15/38 | 42/107 | 34/15.6 |
| Base | 31/79 | 31/79 | 30/76 | 29/13.2 |

CR CASSETTE AND DR PANEL PROTECTORS

| Item # | Description |
|--------|---|
| 2934-X | 750 lb Capacity: 10 x 12 in or 25 x 30 cm (for CR or DR) |
| 3947-X | 750 lb Capacity: 14 x 17 inch or 35 x 43 cm (for all CR and the following DR) Canon CXDI-70, 80, 701C, 801C, Carestream DRX-1, Fuji FDR D-EVO, Varian, Konica Minolta, AGFA |
| 4948 | 500 lb Capacity: (for the following DR) Canon CXDI-50, 55, 60, 401C, 501, Siemens Ysio, Toshiba, Shimadzu, Philips |
| 4948-S | 750 lb Capacity: (for the following DR) Canon CXDI-50, 55, 60, 401C, 501, Siemens Ysio, Toshiba, Shimadzu, Philips |
| 5947 | 500 lb Capacity: (for the following DR) GE Discovery XR 650, GE AMX 700, GE Flash Pad |
| 5947-S | 750 lb Capacity: (for the following DR) GE Discovery XR 650, GE AMX 700, GE Flash Pad |

CR CASSETTE AND DR PANEL PROTECTORS

Shipped Package Weights & Dimensions

| Item # | Height In/Cm | Width In/Cm | Depth In/Cm | Weight Lbs/Kg |
|--------|-----------------|----------------|----------------|------------------|
| 2934-X | 19/ 49 | 15/39 | 5/13 | 8/3.6 |
| 3947-X | 24/61 | 18/46 | 5/13 | 13/5.4 |
| 4948 | 24/61 | 24/61 | 5/13 | 16/7.3 |
| 4948-S | 24/61 | 24/61 | 5/13 | 17/7.7 |
| 5947 | 28/71 | 24/61 | 5/13 | 18/8.2 |
| 5947-S | 28/71 | 24/61 | 5/13 | 20/9.1 |

BUCKY PROTECTOR

| <i>Item #</i> | <i>Description</i> |
|---------------|---|
| 1919 | 19 x 19 in or 48.26 x 48.26 cm fits most systems. |

BUCKY PROTECTOR
Shipped Package Weights & Dimensions

| <i>Item #</i> | <i>Height In/Cm</i> | <i>Width In/Cm</i> | <i>Depth In/Cm</i> | <i>Weight Lbs/Kg</i> |
|---------------|-------------------------|------------------------|------------------------|--------------------------|
| 1919 | 20/50.8 | 20/50.8 | 2/5.1 | 5.8/2.6 |